


GENERALLY DANBRED MANAGEMENT.



**Production numbers in Denmark
2010** © Videncenter for Svineproduktion

	5 / 25 % top B	50 % M	25 % S	Sum me
<u>Numbers of sowherds</u>	187	383	179	749
Numbers of sows pr. Herd	681	635	504	615
Liveborn piglets pr litter	16,5 / 15,1	14,5	13,9	14,5
Weanned piglets pr litter	14,5 / 13,3	12,5	11,6	12,4
Age by weanning (days)	29,2	30,5	31,7	30,5
Farrowings(%)	92 / 89,8	87,0	82,8	86,7
Rerunner %	4,7	6,1	8,9	6,4
Litters pr year	2,45 / 2,32	2,27	2,18	2,26
Stillborn pr litter	1,8	1,8	1,8	1,8
Piglets dead %	12,4	14,0	16,6	14,2
1. Litter sows %	22,0	23,6	24,6	14,5
Weanned piglets pr sow pr year	35 / 30,7	28,2	25,3	28,1

Gilts cycle



190-220 days old

No hormons,


- Insemination 2 * pr day
- Insemination 1 time pr 16-24 hours

220-250 days old


Groupe inseminations

- ❑ Weaned Wednesday after 2 pm. or Thursday morning.
- ❑ Skip the first feeding.
- ❑ Then flosning to Sunday. 3,5 – 4 kg pr day.
- ❑ Boar contact 1-10 hours pr day, thursday to saterdag
- ❑ No boar contact Sunday.
- ❑ Monday 9,30 am insemination round.
- ❑ Boar stimulation, AHA effect max 20 minutes.
- ❑ Insemination starts by stimulating to sow for 1 minut = many piglets!


5 Punkt Stimulation (1 minut)




Oxytocin, pmol/l



- Ornestimulation
- Lav human stimulation
- Høj human stimulation






The more feed the better milk yield.
Bigger piglets, better heat
and many piglets in next litter

Right feed condition=
Many fortified eggs

Bigger and stronger piglets.
If there is born more then 3 % small born 7-800 g
give 0,2 kg feed more untill , the levels of the herd is found


Feeding only to maintenance,
after condition

Gul magre søer- Lilla normal søer - Blå gylte



Born (Turbostart by 1. litter sows)

Bedeutung der geborenen Ferkel



Bad milk yielding sows.



Good milk yielding
SOWS.



Litter equalize 8 - 24 hours after birth

15

21

7


11

17


1 litter, 14-15 piglets

2-10 litters, 13-14 piglets.
Better 1-2 more than weaned
last time.


Litter equalize - 1




Litter equalize 2



Small nursering system 1 - 3 days



Piglets that come behind.



•A new nursing sow must keep the new piglets for 14 days or they will disturb the sow cycle.

•You need 2 * 7 clothespins

•Red for max 7 days old piglets

•Blue for older piglets

•It is always possible to find 2-3 piglets more .

3 week sow 1 – 2 litter sow

Feeding times

- Normale feeding times
 - 6.45 – 7.30 am
 - 11.00 am– 1.00 pm
 - 3.30 – 6.00 pm
- Important not to feed after 7 pm. The sow produce extra milk 4 hours after feeding. They need rest at night like humans.

This presentation can be
downloaded from:



www.dmagro.dk